

| | | |
|--------------------|---|-----------------|
| Product PN | 1215543, 1215544, 1215547, 1215548, 1215549, 1215550, 1215551, 1215553, 1215554, 1215555, 1266844 | Mod. 984 |
| Description | Glass Fiber Filters w/Binder | Rev. 01 |

Glass Fiber Filters w/Binder, 0.5um



| PRODUCT DESCRIPTION | <p>Glass Fiber membranes with binders, composed of Borosilicate glass fibers</p> <table border="1" data-bbox="512 882 1401 1339"> <thead> <tr> <th>Part Number</th> <th>Diameter</th> <th>Quantity/pk</th> </tr> </thead> <tbody> <tr><td>1215543</td><td>22 mm</td><td>100/Pk</td></tr> <tr><td>1215544</td><td>25 mm</td><td>100/Pk</td></tr> <tr><td>1215547</td><td>42 mm</td><td>100/Pk</td></tr> <tr><td>1215548</td><td>47 mm</td><td>100/Pk</td></tr> <tr><td>1215549</td><td>75 mm</td><td>25/Pk</td></tr> <tr><td>1215550</td><td>90 mm</td><td>25/Pk</td></tr> <tr><td>1215551</td><td>124 mm</td><td>25/Pk</td></tr> <tr><td>1215553</td><td>142 mm</td><td>25/Pk</td></tr> <tr><td>1215554</td><td>257 mm</td><td>25/Pk</td></tr> <tr><td>1215555</td><td>293 mm</td><td>25/Pk</td></tr> <tr><td>1266844</td><td>24 x 24 cm</td><td>10/Pk</td></tr> </tbody> </table> | Part Number | Diameter | Quantity/pk | 1215543 | 22 mm | 100/Pk | 1215544 | 25 mm | 100/Pk | 1215547 | 42 mm | 100/Pk | 1215548 | 47 mm | 100/Pk | 1215549 | 75 mm | 25/Pk | 1215550 | 90 mm | 25/Pk | 1215551 | 124 mm | 25/Pk | 1215553 | 142 mm | 25/Pk | 1215554 | 257 mm | 25/Pk | 1215555 | 293 mm | 25/Pk | 1266844 | 24 x 24 cm | 10/Pk |
|----------------------------------|--|-------------|----------|-------------|---------|-------|--------|---------|-------|--------|---------|-------|--------|---------|-------|--------|---------|-------|-------|---------|-------|-------|---------|--------|-------|---------|--------|-------|---------|--------|-------|---------|--------|-------|---------|------------|-------|
| Part Number | Diameter | Quantity/pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215543 | 22 mm | 100/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215544 | 25 mm | 100/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215547 | 42 mm | 100/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215548 | 47 mm | 100/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215549 | 75 mm | 25/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215550 | 90 mm | 25/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215551 | 124 mm | 25/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215553 | 142 mm | 25/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215554 | 257 mm | 25/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215555 | 293 mm | 25/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1266844 | 24 x 24 cm | 10/Pk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MANUFACTURE NAME | <p>GVS North America, Inc. 63 Community Drive Sanford, ME 04073 Phone: +1.866.736.1250 Email: CustomerCareGVSLs@gvs.com Website: www.gvs.com</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| INTENDED USE/ APPLICATION | <p>Typical Applications:</p> <ul style="list-style-type: none"> • Filtrations of long duration, under pressure • Solvent filtration • Gravimetric analysis • Analytical and gravimetric determinations | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MATERIALS | <p>Material: Quartz filter paper</p> <p>Regulatory Documentation Required:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Biocompatibility according ISO 10993-1 <input type="checkbox"/> IMDS <input checked="" type="checkbox"/> Rohs, directive 2002/95/CE <input checked="" type="checkbox"/> BSE/TSE, directive 2003/32/CE <input type="checkbox"/> DEHP plasticizer and latex free | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


PRODUCT SPECIFICATION

| | | |
|--------------------|---|-----------------|
| Product PN | 1215543, 1215544, 1215547, 1215548, 1215549, 1215550, 1215551, 1215553, 1215554, 1215555, 1266844 | Mod. 984 |
| Description | Glass Fiber Filters w/Binder | Rev. 01 |

| | |
|----------------------------------|---|
| | <input type="checkbox"/> Aging <input checked="" type="checkbox"/> Reach 1907/2006/CE (hazardous substances regulation) <input type="checkbox"/> Dir. 67/548/CE and Reg. 1272/2008/CE (medical sector dangerous substances) <input checked="" type="checkbox"/> Conflict minerals <input type="checkbox"/> USP Class VI |
| PRODUCT CHARACTERISTICS | <ul style="list-style-type: none"> • Weight: 0.8 g/m² • Thickness: 13 mils • Acrylic binder • Biologically inert • Bonding reduces media migration |
| PRODUCT SHELF LIFE | 5 years in normal storage conditions: Store the product at room temperate, in a dry place, free of dust and not exposed to direct sunlight. |
| STERILIZATION | Not applicable - This is a non-sterile product. |
| PACKAGING AND LABELING | <ul style="list-style-type: none"> • Bulk packed filters in a gloss finished, chipboard box • Each box will be labeled with: <ul style="list-style-type: none"> ○ Quantity ○ Product item code and description ○ Lot number ○ Storage conditions |
| CERTIFICATE OF COMPLIANCE | A conformity declaration will be sent to the customer for each shipment with lot number and date of manufacture. The Quality management system is in compliance with ISO 9001. |

This material specification describes the properties of product above indicated.
 This document contains general requirements, material description, drawing references, defect specification, and biological material requirements.

REVISIONS AND APPROVALS:

| DATE | REV | REASON FOR CHANGE | ISSUED AND CONTROLLED BY: (name /function and signature) | APPROVED BY: (name /function and signature) |
|---------|-----|-------------------|---|--|
| 11/4/19 | 0 | Initial release | Joe DeSisto, Director, Process Engineering  | Kevin Wrigley/Director of Quality  |



PRODUCT SPECIFICATION

| | | |
|--------------------|---|-----------------|
| Product PN | 1215543, 1215544, 1215547, 1215548, 1215549, 1215550, 1215551, 1215553, 1215554, 1215555, 1266844 | Mod. 984 |
| Description | Glass Fiber Filters w/Binder | Rev. 01 |

CUSTOMER APPROVAL:

We accept this material specification as a part of the agreed terms of delivery.

Company name _____

Approved by: _____
(Name, Function) (Signature)

Date _____
(Company stamp)

Please send back this document signed for approval. If we will not receive this specification signed, we consider the first order placed as implicit approval.